



## MAESTRO®

## **AUTOMATION SYSTEM**





pH) pH control via a dosing pump (supplied separately).


Available in a semi-public pool version (hotel, leisure centre, etc.).
Amperometric regulation:

- CL17®
- 1. Water temperature
- 2. External temperature
- 3. Information on the pool cover position
- 4. pH, RedOx and conductivity readings
- 5. Flow information
- 6. pH level information
- 7. pH regulation
- 8. Control of single-speed pumps
- 9. Disinfection by electrolyser or dosing pump
- 10. Heating control
- 11. Programming of backwash and control of automatic valves
- 12. Lighting control





- You are informed of the conditions of your pool and equipment in real time.
- Professionals can control and anticipate maintenance operations remotely.
- The system can be upgraded to control variable speed pumps.



## Smart, Sustainable Water Solutions. **FOR LIFE.**



## **Customer Service:**

- +39 050716166
- +39 050716169

orders.pooleu@pentair.com

poolemea@pentair.com www.pentairpooleurope.com

Copyright - Limited licence: except as specifically permitted herein, no portion of the content of this document may be reproduced in any form or by any means without the prior written consent of PENTAIR International SRL.

Automation / Filters / Filtration systems / Pumps / Heat pumps / Cleaners / Recessed accessories / Lighting / Dosing units / Salt chlorinators / Dosing and measurement equipment / Maintenance material / Water animations

NVA-BR-AUTOM-EN © 2019 Pentair International SRL. All Rights Reserved.

© Pentair | Non-contractual photos - © Photos: Pentair | Adobe Stock - technical characteristics are issued subject to typographical errors. Diagrams for example only, non-exhaustive.